
TASSO-M20

VIDEO

PREPARE






FIRST TIME USERS Watch the demonstration video for how to use the device.



1. Get a timer and then wash hands. Healthcare workers must wear gloves during collection.



2. Hold a cloth warmed under hot water to the side of the lower back just above the diaper line for 30 seconds.



3. Clean warmed area with alcohol pad.



4. Open device pouch by pulling apart white and clear layers.

COLLECT



5. Remove clear plastic cover over the red button.



6. Peel paper tab behind the red button. Keep sample pod pointing down.



7. Stick device to lower back. Do not remove once it's on.



8. Press button quickly and firmly until it can't go any farther. Wait two seconds then let go.



9. Start a five minute timer.

Keep child upright. Watch dots fill. You will not see blood right away.



10. After five minutes or earlier if blood appears at the bottom of the pod, peel off device.

RETURN



11. Peel off the clear film to expose the sample pod vent. Apply barcode label to back of pod if provided.



12. Place device in the foil return bag and seal. Leave the moisture packs in the bag.



13. Write collection date and time on the inside flap of the box.



14. Place bag in box and seal with the strip.



15. Follow provided instuctions to return your sample to the lab.



16. Wash hands after use.

? 1-408-708-8451 Tasso OnDemand TASSO-M20



INSTRUCTIONS FOR USE ALL AGES





The Tasso-M20 should be stored at room YTIJIBATS ONA 3DAROTS with absorbent pad is provided in the kit.

provided shipping materials. are shipped at ambient temperature using the

DEVICE DESCRIPTION

centralized laboratory.

INTENDED USE

.əsu prinb laboratory. Follow the detailed instructions device is removed and delivered to the time period or when the Sample Pod is full, the benñeb-erq a retter a pre-defined the Button draws capillary blood into the minutes. A sterile needle punctures skin and onto the skin of the lower back for a couple of When collecting a sample, the device is placed ΡΑΙΝΟΙΡΔΕΣ ΟΓ ΟΡΕΡΑΤΙΟΝ

be used until the expiration date. The samples

temperature 18°C – 28°C (64°F – 82°F) and can

centralized laboratory for analysis. A return bag

sample the device will be delivered to a

removed prior to sampling. After collecting the by a removable cap. A peel off paper back is

Button and Sample Pod. The Button is covered

integrated collection device. It consists of a

The Tasso-M20 is a sterile, disposable,

transport capillary blood for testing in a

The Tasso-M20 is used to collect, store, and

Instructions for Use Return Bag with Absorbent Pad Bandage Tasso Blood Collection Device **KIT CONTENTS**

CONTRAINDICATIONS

Not for use on infant heels.

sdaeys. to local or state guidelines for disposal of used Defective devices to be disposed of according DISPOSAL

Sterilized by irradiation

Transport at 25-85% RH

Do not use if package is damaged

Consult instructions for use

Zhis device contains sharps

Prescription use only

Store at 18-28℃

Biological risk

Do not resterilize

Vino əsu əlpniz 🖉

🚽 Use by date

REF Catalog number

sample collection site.

Keep out of reach of children.

Observe universal biological risk

Do not use after expiration date.

For In Vitro Diagnostic Use.

with any blood sampling procedure.

Use while seated as fainting may occur

Minor bruising may occur around the

Do not use if pouch has been opened or

LOT Lot number

STERILE R

Β× ΟΝΓλ

- ³⁶⁸

J.8.C

Ţ

SYMBOLS

precautions.

، Vino szu signič

.begnanged.

Do not resterilize.

Prescription use only.

CAUTIONS & WARNINGS

ASU 01 186 AW ,911692 201 911 31 Ave. W. Suite 105 .ori, lacso, lac.